pyCub


Lukáš Rustler

Get Started



Introduction

- iCub Humanoid Robot
- pure Python3
 - 3.8 3.11
- physics from PyBullet^a
- visualization in Open3D^b



^ahttps://pybullet.org

^bhttps://www.open3d.org

Installation

Python only

- install Python3.10-3.12
- install with python3 -m pip install icub_pybullet
 - or, clone https://github.com/rustlluk/pyCub, go to icub_pybullet directory and install the with python3-m pip install.

Docker


- Native (GNU/Linux only) Native Version
- VNC (All systems) VNC Version

GitPod

Open https://gitpod.io/#github.com/rustlluk/pycub

For more information see GitHub README or documentation at https://lukasrustler.cz/pycub_documentation.

Components



Lukáš Rustler pyCub Get Started 4 / 18

Config

Important options:

- gui: GUI options
 - standard: default OpenGL visualization; True/False; default: True
 - web: web visualization visualization; True/False; default: False
- end_effector: which link is used as EE in Cartesian control; string; default: "r_hand"
- initial_joint_angles: dictionary with initial angles (in degrees) for joints. Can be empty.
- log: logging settings
 - log: whether to log; True/False; default: True
 - period: period of logging; float; default: 0.01; 0 for logging at each step
- simulation_step: the simulation advances for 1/simulation_step; float; default: 240; low value can break the simulation
- self_collisions: whether to detect self-collisions of robot links;
 True/False; default: True

Lukáš Rustler pyCub Get Started 5 / 15

Config - Objects

- way how to load other objects then the robot
- can load .urdf or .obj files
 - URDF from .obj file is created automatically with: mass = 0.2 kg;
 lateral_friction = 1; rolling_friction = 0

Structure:

- urdfs:
 - paths: list of paths to the files; relative to other_meshes directory
 - positions: list of 1x3 lists of positions of the files in world frame
 - fixed: list of bools; True when the object is not movable, i.e., it is not influenced by gravity
 - color: list of 1x3 lists of 0-1 float to specify RGB color; can be an empty list when URDF is used

Example:

Collision Meshes

To simplify collision detection, PyBullet uses convex hulls of collision geometries. That means that collisions for concave meshes are not precise. From that reason, V-HACD is used to decompose collision geometries to convex parts. Everything is done automatically inside pyCub¹.



(a) Original forearm mesh.



(b) Decomposed forearm mesh.

Lukáš Rustler pyCub Get Started 7

¹First run with new meshes takes more time as the meshes are decomposed.

User Scripts

The most simple example that loads the world and waits until the GUI is closed is shown below.

```
from icub_pybullet.pycub import pyCub

if __name__ == "__main__":
    # load the robot with correct world/config
    client = pyCub(config="with_ball.yaml")

# wait until the gui is closed
    while client.is_alive():
        client.update_simulation()
```

Simulation Control

- The simulation is not updating by itself, i.e., users have to call pyCub.update_simulation() to do one step.
- By default, a simulation step with GUI is performed only if the last step was done more than 0.01 second ago, no matter how often you call pyCub.update_simulation(). Without GUI the simulation is running as fast as possible.
 - This is usefull mainly to make visualization slower
 - you can control it with parameter in pyCub.update_simulation(). For example, to make the visualization run as fast as possible use pyCub.update_simulation(None)
- Some function (e.g., moving) can update the simulation automatically

Joints and Links

- There are two list for joints and links, pyCub.joints and pyCub.links. The lists include instances of Joint and Link classes.
- The lists include only joints that are not fixed and links that contain collision geometry.

Important Joint variables:

- name: string name of the joint; can be used for Joint Space Movement
- robot_joint_id: index of the joint in URDF; used by PyBullet
- joints_id: index of the joint in pyCub.joints list; can be used for Joint Space Movement

The reason to have two sets of indexes is that iCub URDF contains a lot of fixed joints, and it is easier for users to care only about the moveable ones.

To find a joint index by joint name or vice versa, there is a function pyCub.find_joint_id().

Lukáš Rustler pyCub Get Started 10 / 15

Joint Space Movement

Movement in joint space can be achieved with function pyCub.move_position(self, joints, positions, wait=True, velocity=1, set_col_state=True, check_collision=True, timeout=None).

- joints can be an integer (index of the joint), string (name of the joint) or list of integers or strings
- positions can be a float or list of floats with the same size as joints
- if wait is set to True then the command is blocking, i.e., the main script will wait until the motion is done (all joints are the desired position or collision occured)
 - if wait is False, then you can check for the end of the movement in the main script with pyCub.wait_motion_done() or pyCub.motion_done()
- velocity sets the maximum joint velocity. The robot may still go slower if the trajectory does not allow for higher velocity.
- if check_collision is True and wait is also True, then the robot stops even if a collision occurs.
- timeout can be float in seconds after which the movement is stopped

Lukáš Rustler pyCub Get Started 11 / 1:

Movement in Cartesian space can be achieved with pyCub.move_cartesian(self, pose, wait=True, velocity=1, check_collision=True, timeout=None).

- pose as 6D end-effector pose of type utils.Pose; it contains two attributes pos and ori that lists of position (1x3) and orientation (1x4, x, y, z, w quaternion)
- other arguments are the same as for Joint Space movement

End-effector of the robot can changed by changing pyCub.end_effector of your pyCub instance with a different instance of pyCub.EndEffector class.

The movement itself is achieved by computing the inverse kinematics of the input pose and running the joint space movement.

There is no planner included. The resulting trajectories will be mostly random, and collisions are checked only during movement.

Joint Velocity Movement

Movement in velocity space can be achieved with function pyCub.move_velocity(self, joints, velocities).

- joints can be an integer (index of the joint), string (name of the joint) or list of integers or strings
- velocities can be a float or list of floats with the same size as joints

There are no wait or collision parameters for this kind of movements, as it usually considered low-level.

Waiting for Motion

There are three main ways to wait for motion completion.

- Setting wait parameter of move_position() or move_cartesian() to True
- using pyCub.wait_motion_done(sleep_duration=0.01, check_collision=True)
 - this way you can change visualization speed
 - the function will return in moment when all joints are at the desired position, when collision occurs, or when the movement is longer than timeout
 - in case of collision, pyCub.collision_during_motion is set to True
- USE pyCub.motion_done(joints=None, check_collision=True)
 - this way you can do other things while waiting

```
while not client.motion_done(): # while motion
    # DO SOMETHING
    client.update_simulation(0.1) # update simulation
```

Logging

- things in the terminal can be logged using pyCub.logger
 - it uses python logging library
 - there is 5 levels (debug, info, warning, error, critical); debug is not showing by default
 - e.g., pyCub.logging.info("Information message")
- you can also log 6D Pose of the end-effector. If you set log_pose in a config file to True, the poses of the robot will be stored at pyCub.pose_logger.
- if you set log.log in .yaml config to True, then the state of the robot is also saved to .csv file
 - it can be used to "replay" the simulation later
 - the structure is timestamp; steps_done; joint_0; ...; joint_n
 - in case of skin, there is also comma-separated output of each enabled skin part